

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L7 | 13 | (comput\$3 or calculat\$4 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2 with motion near3 model\$4 same motion adj1 vector near1 field | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:02 |
| L8 | 4 | 7 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation or zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:05 |
| L9 | 9 | 7 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:08 |
| L10 | 2369 | detec\$4 near3 oclu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:14 |
| L11 | 0 | 10 same motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near3(neighbor\$4 or "near") near5 (border\$1 or edge\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:22 |
| L12 | 0 | 10 and motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near3(neighbor\$4 or "near") near5 (border\$1 or edge\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:22 |
| L13 | 0 | 10 and motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near10(neighbor\$4 or "near") near5 (border\$1 or edge\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:23 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| L14 | 0 | motion adj2 estimat\$3 near10 motion adj1 vector\$1 same (pixel\$1 near10(neighbor\$4 or "near") near5 (border\$1 or edge\$1)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:23 |
| L15 | 0 | motion adj2 estimat\$5 near10 motion adj1 vector\$1 same (pixel\$1 near10(neighbor\$5 or "near") near5 (border\$1 or edge\$1 or bound\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:26 |
| L16 | 30 | motion adj2 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:26 |
| L17 | 1 | 10 and motion adj2 estimat\$5 with motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:27 |
| L18 | 13 | 16 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:28 |
| L19 | 0 | 16 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation or zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:28 |
| L20 | 28 | 10 and motion adj2 estimat\$5 with motion adj1 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:40 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| L21 | 14 | 20 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 18:41 |
| L22 | 150 | motion near3 vector\$1 same occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 19:44 |
| L23 | 104 | L22 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3 or assign\$4 or match\$4) near5 motion adj3 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 19:44 |
| L24 | 18 | 23 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 19:45 |
| L25 | 1 | 10 and (compar\$5 or match\$5) near7 motion adj1 vector\$1 near3(set\$1 or local) near7(model\$4 near3 motion adj1 vector\$1 or model-based near3 motion or model adj1 motion) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 19:50 |
| L26 | 3 | 10 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3 or assign\$4) near5 background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:15 |
| L27 | 2 | 10 and motion near3 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:46 |

EAST Search History

| | | | | | | |
|-----|----|--|--|----|-----|------------------|
| L28 | 6 | 10 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:48 |
| L29 | 5 | 28 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:49 |
| L30 | 44 | motion near3 estimat\$5 near10 motion adj1 vector\$1 same pixel\$1 near5 (border\$1 or edge\$1 or bound\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:53 |
| L31 | 20 | 30 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:54 |
| L32 | 1 | 31 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:54 |
| L33 | 1 | 31 and detec\$4 near3 occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:55 |
| L34 | 21 | 10 and (compar\$5 or match\$5 or best) near7 motion adj1 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:58 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| L35 | 5 | 34 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 20:59 |
| L36 | 3 | 10 and (compar\$5 or match\$5 or best) near7 motion near3(set\$2 or local or background near3 motion) with (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1 or translation or zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:23 |
| L37 | 15 | (compar\$5 or match\$5 or best) near7 background near3 motion with (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1 or translation or zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:29 |
| L38 | 1 | 37 and detec\$4 near3 occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:30 |
| L39 | 28 | detect\$4 near3 background near3 motion same (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:31 |
| L40 | 2 | 39 and detec\$4 near3 occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:32 |
| L41 | 2369 | detec\$4 near3 occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:38 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| L42 | 6 | 41 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 21:39 |
| L43 | 8024 | 382/236,232,250,251,253;375/240. 16;348/402.1,413.1,416.1.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:10 |
| L44 | 19 | 43 and detec\$4 near3 occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:10 |
| L45 | 2 | 44 and (estimat\$4 or detect\$4) near3 background near3 motion same (model\$4 or estimat\$4) near3(motion or motion adj1 vector\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:11 |
| L46 | 0 | 44 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:15 |
| L47 | 23 | 43 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:16 |
| L48 | 20 | 47 and (compar\$5 or match\$5 or best) near7 motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:16 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| L49 | 3 | 48 and model\$4 near3(motion or motion adj1 vector\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:18 |
| L50 | 16 | wittebrood-rimmert-b.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:21 |
| L51 | 4 | haan-gerard-de.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:22 |
| L52 | 11 | lodder-rogier.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:22 |
| L53 | 1 | 50 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:23 |
| L54 | 0 | 51 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:23 |
| L55 | 2 | 52 and (detect\$4 or select\$4 or assign\$4) near3 background near3 motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/30 22:23 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|-----|-----|------------------|
| L56 | 1 | (computing and model and motion and vector and pixel and motion and model and motion and vector and field and image and comparing and motion and vector and motion and vectors and set and motion and vectors and selecting and motion and vector and set and motion and vectors and comparing and assigning and motion and vector and background and motion and vector).clm. | US-PGPUB | AND | OFF | 2008/08/30 22:29 |
| S1 | 61 | dete\$4 near3 occlusion near3(region\$1 or area or segment) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:31 |
| S2 | 17 | S1 and motion adj3 (vector\$2 or estimat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:32 |
| S3 | 3 | S2 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:37 |
| S4 | 40 | (select\$4 or choos\$4 or calculat\$4) near5 background near3 motion adj3 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:50 |
| S5 | 2 | S4 and motion near3 vector\$1 same model-based near3 motion adj1 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:51 |
| S6 | 150 | motion near3 vector\$1 same occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:53 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S7 | 18 | S6 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:53 |
| S8 | 17 | S7 and (select\$4 or choos\$4 or calculat\$4) near5 motion adj3 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:54 |
| S9 | 10 | S8 and (match\$4 or compar\$4) near3 motion adj3 vector\$1 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 16:55 |
| S10 | 0 | (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(pan-zoom or translation near3 zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:12 |
| S11 | 3 | (match\$4 or compar\$4) near3 motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation near3 zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:13 |
| S12 | 19 | motion adj3 vector\$1 same motion near5(model-based or pan-zoom or translation near3 zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:14 |
| S13 | 2 | S12 and(select\$4 or choos\$4 or calculat\$4) near5 background near3 motion adj3 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:15 |

EAST Search History

| | | | | | | |
|-----|-----|--|--|----|-----|------------------|
| S14 | 1 | motion near5 model-based with(pan-zoom or translation or zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:17 |
| S15 | 104 | model-based with(pan-zoom or translation or zoom) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:17 |
| S16 | 0 | S15 and occlud\$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:19 |
| S17 | 1 | S15 and occlu\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:19 |
| S18 | 101 | S6 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:21 |
| S19 | 18 | S18 and background near3 motion adj1 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:22 |
| S20 | 106 | detec\$4 near3 occlu\$5 same motion | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:49 |

EAST Search History

| | | | | | | |
|-----|----|---|--|----|-----|------------------|
| S21 | 32 | S20 and motion near5 (model-based or model\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:50 |
| S22 | 10 | S21 and (select\$4 or choos\$4 or calculat\$4 or find\$3 or determin\$4 or obtain\$3) near5 motion adj3 vector\$2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/29 17:51 |